


**Canon**

**NEW F-1**

**REF.NO.C12-0751**

**PARTS  
CATALOG**

## CANON NEW F-1



# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                |
|-------------------|-------|-----|----------------------------|
| CA1-2081-000      | D     | 1   | NUT                        |
| CA1-2085-000      | D     | 1   | RING, O                    |
| CA1-2086-000      | D     | 2   | COLLAR                     |
| CA1-2116-000      | C     | 1   | WINDOW, FILM COUNTER       |
| CA1-2117-000      | C     | 1   | BUTTON, REWIND             |
| CA1-2118-000      | D     | 1   | SPACER                     |
| CA1-2119-000      | C     | 1   | LEVER, WINDING             |
| CA1-2120-000(100) | E     | 1   | GUIDE, WINDING LEVER       |
| CA1-2121-000      | C     | 1   | SPACER                     |
| CA1-2122-000      | A     | 1   | SCREW, FLAT FACE           |
| CA1-2123-000      | D     | 1   | SEAL, MOISTURE             |
| CA1-2124-000      | E     | 1   | PLATE, COUPLING            |
| CA1-2127-000      | D     | 1   | CONTACT                    |
| CA1-2149-000      | C     | 1   | RUBBER, GRIP               |
| CA1-2150-000      | C     | 1   | RUBBER, GRIP               |
| CA1-2154-000      | A     | 1   | CAP                        |
| CA1-2237-000      | B     | 1   | LOCK, RELEASE              |
| CA1-2404-000      | E     | 1   | LEVER, REWIND BUTTON LOCK  |
| CA1-2434-000      | C     | 1   | SHIELD, LIGHT              |
| CA1-2435-000      | D     | 1   | PLATE, LIGHT SHIELD        |
| CA1-2448-000      | C     | 1   | PLATE, WINDING LEVER       |
| CA1-2450-000(XXX) | D     | 1   | WASHER                     |
| CA1-2451-000(XXX) | D     | 1   | WASHER                     |
| CA1-2468-000      | C     | 1   | SHIELD, LIGHT              |
| CA1-2469-000      | C     | 1   | SHIELD, LIGHT              |
| CF1-0719-000      | D     | 1   | BEEPER ASS'Y               |
| CF1-0726-000      | D     | 1   | RING, SHUTTER DIAL         |
| CF1-0727-000      | C     | 1   | DIAL, SHUTTER SPEED        |
| CF1-0728-000      | D     | 1   | COVER, BATTERY COMPARTMENT |
| CF1-0760-000      | B     | 1   | BUTTON, SHUTTER            |
| CG1-0141-000      | B     | 1   | GRIP ASS'Y, ACTION         |
| CG9-0160-000      | B     | 1   | COVER, TOP(RIGHT)          |
| CG9-0162-000      | B     | 1   | COVER ASS'Y, FRONT         |
| CS1-5477-000      | E     | 1   | SPRING                     |
| CS1-5478-000      | D     | 1   | SPRING, COIL               |
| CS1-5482-000      | E     | 1   | SPRING, COIL               |
| X91-1436-330      |       | 1   | SCREW                      |
| X91-1737-270      |       | 4   | SCREW                      |
| X94-1701-350      |       | 4   | SCREW                      |
| X95-1700-540      |       | 2   | SCREW                      |
| XA1-1170-259      |       | 1   | SCREW                      |
| XA1-3170-257      |       | 2   | SCREW                      |
| XA1-3170-289      |       | 3   | SCREW                      |
| XA1-3170-359      |       | 2   | SCREW                      |
| XA1-7170-227      |       | 1   | SCREW                      |
| XD1-1101-831      |       | 1   | WASHER                     |
| XD1-1101-832      |       | 1   | WASHER                     |
| XG8-1100-552      |       | 1   | BALL                       |

## CANON NEW F-1

CAI-2102-000 detail


|  | A       | SIZE  |
|--|---------|-------|
|  | 0.03 mm | (003) |
|  | 0.05 mm | (005) |
|  | 0.10 mm | (010) |

CAI-2452-000 detail

|  | A      | SIZE  |
|--|--------|-------|
|  | 0.3 mm | (030) |
|  | 0.4 mm | (040) |
|  | 0.5 mm | (050) |

CAI-2453-000 detail

|  | A      | SIZE  |
|--|--------|-------|
|  | 0.1 mm | (010) |
|  | 0.2 mm | (020) |
|  | 0.3 mm | (030) |




# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                |
|-------------------|-------|-----|----------------------------|
| CA1-1908-000      | B     | 1   | COVER, BASE                |
| CA1-2090-000      | D     | 1   | WINDOW                     |
| CA1-2096-000      | E     | 1   | LEVER, LOCK                |
| CA1-2097-000      | C     | 1   | LATCH, SAFETY              |
| CA1-2098-000      | E     | 1   | CONE                       |
| CA1-2102-000(XXX) | D     | 1   | WASHER                     |
| CA1-2103-000      | D     | 1   | NUT                        |
| CA1-2108-000      | C     | 1   | WASHER                     |
| CA1-2112-000      | B     | 1   | KNOB, REWIND CRANK         |
| CA1-2113-000      | B     | 1   | SCREW                      |
| CA1-2148-000      | D     | 1   | SPACER                     |
| CA1-2151-000      | A     | 1   | CAP, M.D.COUPLER           |
| CA1-2152-000      | A     | 1   | CAP, AE COUPLER            |
| CA1-2153-000      | B     | 1   | CAP, CARTRIDGE COMPARTMENT |
| CA1-2401-000      | C     | 1   | SPACER                     |
| CA1-2452-000(XXX) | D     | 1   | SPACER                     |
| CA1-2453-000(XXX) | D     | 1   | WASHER                     |
| CA1-2474-000      | A     | 1   | CAP, P.C.TERMINAL          |
| CA1-5054-000      | C     | 1   | COLLAR                     |
| CF1-0722-000      | C     | 1   | DIAL, ASA                  |
| CF1-0732-000      | D     | 1   | CLUTCH, REWIND             |
| CF1-0801-000      | C     | 1   | DIAL ASS'Y, ASA(WHITE)     |
| CF1-0802-000      | C     | 1   | TERMINAL, P.C.             |
| CG9-0158-000      | C     | 1   | LOCK ASS'Y, SAFETY         |
| CG9-0167-000      | C     | 1   | CRANK UNIT, REWIND         |
| CS1-1250-000      | E     | 1   | BUSHING                    |
| CS1-5475-000      | E     | 1   | SPRING, COIL               |
| CS1-5476-000      | E     | 1   | SPRING, COIL               |
| CS1-6381-000      | E     | 1   | SPRING                     |
| CS1-6382-000      | C     | 1   | SPRING                     |
| CS1-7283-000      | C     | 1   | SPRING, FRICTION           |
| CY1-1109-000      | B     | 1   | COVER, TOP(LEFT)           |
| CY1-1176-000      | C     | 1   | DIAL ASS'Y, ASA(GREEN)     |
| XA1-1170-229      |       | 4   | SCREW                      |
| XA1-1170-259      |       | 1   | SCREW                      |
| XD1-1102-121      |       | 1   | RING, E                    |
| XD2-1100-132      |       | 1   | SCREW                      |
| X94-1701-350      |       | 2   | SCREW                      |
| X95-1700-540      |       | 1   | WASHER                     |
| X98-0504-200      |       | 1   | WASHER                     |
| X98-0504-210      |       | 1   | SCREW                      |
| X99-0394-000      |       | 1   | SCREW                      |
| X98-0504-240      |       | 1   | WASHER                     |

## CANON NEW F-1




# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION            |
|-------------------|-------|-----|------------------------|
| 13-9614-000       | E     | 1   | STOPPER                |
| 13-9999-000       | E     | 1   | PLATE, NAME            |
| 19-1156-000       | B     | 1   | PLATE, PRESSURE        |
| 97-5644-000       | E     | 1   | SPRING, COIL           |
| CA1-2068-000      | C     | 1   | RAIL(RIGHT)            |
| CA1-2069-000      | C     | 1   | RAIL(LEFT)             |
| CA1-2140-000      | D     | 1   | HOLDER, CARTRIDGE      |
| CA1-2143-000      | D     | 1   | PRESSURE, FILM         |
| CA1-2454-000(XXX) | E     | 1   | WASHER                 |
| CA1-5152-000      | D     | 1   | SHAFT, HINGE           |
| CG1-0138-000      | D     | 1   | COVER UNIT, BACK       |
| CG9-6049-000      | C     | 1   | BOARD, PRINTED CIRCUIT |
| CY1-1085-000      | D     | 1   | ROLLER ASS'Y           |
| X91-1436-310      |       | 2   | SCREW                  |
| XA1-1140-207      |       | 2   | SCREW                  |
| XA1-1200-407      |       | 4   | SCREW                  |
| XA1-7170-407      |       | 1   | SCREW                  |
| XD1-1101-823      |       | 1   | WASHER                 |

## CANON NEW F-1




# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO. | CLASS | QTY | DESCRIPTION                    |
|---------------|-------|-----|--------------------------------|
| CA1-2073-000  | E     | 1   | HOLDER, REWIND SHAFT           |
| CA1-2074-000  | C     | 1   | FORK, REWIND                   |
| CA1-2075-000  | E     | 1   | OPENER, BACK COVER             |
| CA1-2076-000  | D     | 1   | CONTACT                        |
| CA1-2077-000  | D     | 1   | SEAL, CONNECTOR                |
| CA1-2084-000  | E     | 1   | HOOK                           |
| CA1-2246-000  | E     | 1   | CLAW, FINDER INFORM.BRIND      |
| CA1-2249-000  | E     | 1   | BASE, SHUTTER SPEED INDICATION |
| CA1-2250-000  | D     | 1   | INDICATOR, SHUTTER SPEED       |
| CA1-2255-000  | E     | 2   | STOPPER, METER NEEDLE          |
| CA1-2441-000  | D     | 1   | SHIELD, LIGHT                  |
| CA1-4959-000  | B     | 1   | RING, C                        |
| CF1-0717-000  | C     | 1   | PCB ASS'Y                      |
| CF1-0718-000  | C     | 1   | RESISTOR, ASA                  |
| CF1-0761-000  | D     | 1   | PULLEY, 3RD                    |
| CF1-0763-000  | E     | 1   | BRIND, FINDER INFORMATION      |
| CF1-0818-000  | C     | 1   | STRING                         |
| CG1-0137-000  | D     | 1   | INDICATOR UNIT, METER          |
| CG9-0166-000  | D     | 1   | PULLEY, 4TH                    |
| CH8-0019-000  | D     | 1   | METER                          |
| CS1-1248-000  | E     | 1   | LIFTER, HOOK                   |
| CS1-4122-000  | D     | 1   | STUD                           |
| CS1-5492-000  | E     | 1   | SPRING, COIL                   |
| CS1-6380-000  | E     | 1   | SPRING                         |
| CS1-6397-000  | D     | 1   | SPRING                         |
| CS1-6398-000  | D     | 1   | SPRING                         |
| CS1-6399-000  | E     | 1   | SPRING                         |
| CS1-7280-000  | D     | 1   | SPRING, PLATE                  |
| CY1-1148-000  | D     | 1   | PRISM, FINDER INFORMATION      |
| CY4-0043-000  | E     | 1   | THREAD                         |
| CY4-0061-000  | D     | 1   | INDICATOR, SHUTTER SPEED       |
| X91-1436-710  |       | 1   | SCREW                          |
| X91-1723-050  |       | 1   | SCREW                          |
| X91-1737-100  |       | 1   | SCREW                          |
| X91-1737-400  |       | 1   | SCREW                          |
| XA1-1100-229  |       | 1   | SCREW                          |
| XA1-1170-209  |       | 1   | SCREW                          |
| XA1-1170-259  |       | 1   | SCREW                          |
| XA1-1170-287  |       | 1   | SCREW                          |
| XA1-1170-309  |       | 1   | SCREW                          |
| XA1-3170-229  |       | 1   | SCREW                          |
| XA1-3170-289  |       | 1   | SCREW                          |
| XA1-7140-257  |       | 1   | SCREW                          |
| XA1-7170-357  |       | 1   | SCREW                          |
| XD1-1101-523  |       | 1   | WASHER                         |
| XD1-1101-823  |       | 1   | WASHER                         |

## CANON NEW F-1





# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                  |
|-------------------|-------|-----|------------------------------|
| CA1-1944-000      | D     | 1   | SCREW, SLOTTED, SHOULDER     |
| CA1-2041-000      | E     | 1   | ROD, RELEASE                 |
| CA1-2051-000      | D     | 1   | FRAME, INFORMATION INDICATOR |
| CA1-2052-000      | C     | 1   | SHEET, DIAPHRAGM INDEX       |
| CA1-2053-000      | B     | 1   | NEEDLE, FOLLOWING            |
| CA1-2057-000      | E     | 1   | GUIDE, AVO INDICATOR         |
| CA1-2079-000      | D     | 1   | TERMINAL, SW4                |
| CA1-2081-000      | D     | 1   | NUT                          |
| CA1-2228-000      | E     | 1   | CAM, CLICK                   |
| CA1-2229-000      | E     | 1   | PULLEY                       |
| CA1-2230-000      | C     | 1   | RING, C                      |
| CA1-2231-000      | E     | 1   | BASE, CONTACT                |
| CA1-2232-000      | D     | 2   | INSULATOR                    |
| CA1-2233-000      | C     | 1   | CONTACT                      |
| CA1-2234-000      | C     | 1   | CONTACT                      |
| CA1-2437-000(XXX) | D     | 1   | WASHER                       |
| CA1-2481-000      | D     | 1   | COLLAR                       |
| CF1-0710-000      | E     | 1   | LEVER, REWIND BUTTON         |
| CF1-0714-000      | D     | 1   | INDICATOR, AVO               |
| CF1-0758-000      | D     | 1   | PULLEY, 2ND                  |
| CF1-0759-000      | D     | 1   | PULLEY, 1ST                  |
| CG1-0143-000      | D     | 1   | SELECTOR UNIT, SHUTTER SPEED |
| CH1-0309-000      | C     | 1   | BOARD, PRINTED RESISTOR      |
| CS1-4118-000      | E     | 1   | SCREW                        |
| CS1-5473-000      | D     | 1   | SPRING, COIL                 |
| CS1-6394-000      | D     | 1   | SPRING                       |
| CS1-6395-000      | D     | 1   | SPRING                       |
| CS1-6396-000      | D     | 1   | SPRING                       |
| X91-1436-700      |       | 1   | SCREW                        |
| X96-1723-040      |       | 1   | SCREW                        |
| X98-0604-040      |       |     | WASHER                       |
| XA1-1140-209      |       | 2   | SCREW                        |
| XA1-3140-259      |       | 1   | SCREW                        |
| XA1-3170-407      |       | 2   | SCREW                        |
| XA1-7170-309      |       | 1   | SCREW                        |
| XD1-1101-820      |       |     | WASHER                       |
| XD1-1101-821      |       |     | WASHER                       |
| XD1-1102-610      |       |     | WASHER                       |

## CANON NEW F-1



|              | A                |
|--------------|------------------|
| CAI-2259-000 | 5.5 mm (ST'D)    |
| CYI-1084-000 | 5.3 mm (SERVICE) |


# PARTS LIST

REF.NO.C12-0751


| NEW PARTS NO. | CLASS | QTY | DESCRIPTION             |
|---------------|-------|-----|-------------------------|
| 13-9744-000   | D     | 1   | CUSHION                 |
| CA1-2027-000  | C     | 1   | PLATE, ACCESSORY        |
| CA1-2046-000  | E     | 1   | LEVER, M.E. SET         |
| CA1-2058-000  | E     | 1   | PLATE, POSITION SET     |
| CA1-2061-000  | E     | 1   | CUSHION                 |
| CA1-2062-000  | E     | 1   | HOLDER, REWIND SHAFT    |
| CA1-2063-000  | C     | 1   | TERMINAL, M.D.          |
| CA1-2064-000  | E     | 2   | COLLAR                  |
| CA1-2065-000  | E     | 1   | HOLDER                  |
| CA1-2066-000  | E     | 1   | CUSHION                 |
| CA1-2259-000  | C     | 1   | MOUNT, BODY             |
| CA1-2299-000  | D     | 1   | PIN, AE SIGNAL          |
| CA1-2425-000  | E     | 1   | SHIELD, LIGHT           |
| CF1-0712-000  | D     | 1   | SOCKET, TRIPOD          |
| CF1-0805-000  | C     | 1   | PCB ASS'Y               |
| CF1-0808-000  | E     | 1   | PIN, RELEASE            |
| CF1-0819-000  | E     | 1   | HOLDER, CIRCUIT BOARD   |
| CG1-0139-000  | C     | 1   | PCB ASS'Y               |
| CH1-0310-000  | C     | 1   | BOARD, PRINTED RESISTOR |
| CH2-0727-000  | C     | 1   | CONNECTOR               |
| CH2-0728-000  | C     | 1   | CONNECTOR               |
| CS1-1262-000  | D     | 1   | GUIDE, AE SIGNAL PIN    |
| CS1-4117-000  | E     | 1   | SCREW                   |
| CS1-6379-000  | E     | 1   | SPRING                  |
| CY1-1084-000  | C     | 1   | MOUNT, BODY             |
| X91-1726-290  |       | 2   | SCREW                   |
| X98-0202-060  |       |     | WASHER                  |
| X99-0384-000  |       | 2   | SCREW                   |
| X99-0386-000  |       | 2   | SCREW                   |
| XA1-1170-259  |       | 1   | SCREW                   |
| XA1-1170-409  |       | 1   | SCREW                   |
| XA1-1170-509  |       | 1   | SCREW                   |
| XA1-1170-609  |       | 1   | SCREW                   |
| XA1-1200-707  |       | 4   | SCREW                   |
| XA1-3200-407  |       | 4   | SCREW                   |
| XA1-3200-459  |       | 2   | SCREW                   |
| XA1-7170-307  |       | 1   | SCREW                   |
| XA1-7170-407  |       | 1   | SCREW                   |
| XA1-7170-459  |       | 2   | SCREW                   |
| XA1-7170-509  |       | 1   | SCREW                   |
| XD1-1101-820  |       | 1   | WASHER                  |
| XD1-1101-823  |       | 1   | WASHER                  |
| XD1-1102-120  |       |     | WASHER                  |
| XD1-1102-121  |       |     | WASHER                  |
| XD1-1102-122  |       |     | WASHER                  |

## CANON NEW F-1

CG9-0174-000



CAI-2270-000 detail




| A      | SIZE  |
|--------|-------|
| 1.1 mm | (010) |
| 1.2 mm | (020) |
| 1.3 mm | (030) |

CAI-2274-000 detail



| A      | SIZE  |
|--------|-------|
| 0.2 mm | (010) |
| 0.1 mm | (020) |
| 0.05mm | (030) |
| 0.03mm | (040) |




# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                  |
|-------------------|-------|-----|------------------------------|
| 97-7607-000       | B     | 2   | HOLDER, MIRROR               |
| CA1-2269-000      | E     | 1   | SHAFT, MIRROR                |
| CA1-2270-000(XXX) | E     | 1   | COLLAR                       |
| CA1-2271-000      | E     | 1   | HOLDER, MIRROR HINGE         |
| CA1-2274-000(XXX) | C     | 1   | WASHER, ADJUSTING            |
| CA1-2275-000      | D     | 1   | MASK                         |
| CA1-2276-000      | E     | 1   | PLATE, PROTECTION            |
| CA1-2277-000      | D     | 1   | HOLDER, FOCUSING SCREEN UNIT |
| CA1-2278-000      | D     | 1   | PLATE, ACCESSORY             |
| CA1-2313-000      | E     | 1   | SHIELD, LIGHT                |
| CA1-2456-000      | D     | 1   | CUSHION                      |
| CG9-0174-000      | C     | 1   | MIRROR ASS'Y(W/FRAME)        |
| CN1-5196-000      | C     | 1   | MIRROR                       |
| CS1-4124-000      | E     | 1   | SCREW, SHAFT                 |
| CS1-6400-000      | D     | 1   | SPRING                       |
| CS1-6416-000      | E     | 1   | SPRING                       |
| CY1-1088-000      | D     | 1   | SW-8 ASS'Y                   |
| CY1-1089-000      | D     | 1   | SHIELD, LIGHT                |
| CY1-1090-000      | E     | 1   | SHIELD, LIGHT                |
| X26-1401-880      |       | 2   | SCREW                        |
| X91-1425-290      |       | 2   | SCREW                        |
| X96-1411-900      |       | 2   | SCREW                        |
| X99-0393-000      |       | 2   | SCREW                        |
| XA1-7170-209      |       | 1   | SCREW                        |

## CANON NEW F-1



CAI-2273-000 detail

| A       | SIZE  |
|---------|-------|
| φ4.6 mm | (010) |
| φ5.0 mm | (020) |
| φ5.4 mm | (030) |
| φ6.0 mm | (040) |

CSI-0463-000 detail

| A        | SIZE  |
|----------|-------|
| φ9.00 mm | (010) |
| φ8.82 mm | (030) |

CSI-5485-000 detail


| Strength | SIZE  |
|----------|-------|
| 40 g     | (010) |
| 50 g     | (020) |
| 70 g     | (030) |

# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                  |
|-------------------|-------|-----|------------------------------|
| CA1-2029-000      | E     | 1   | STUD                         |
| CA1-2273-000(XXX) | E     | 1   | CUSHION                      |
| CA1-2289-000      | D     | 1   | PIN, MAX.APERTURE CORRECTION |
| CA1-2292-000      | D     | 1   | INSULATOR                    |
| CA1-2315-000      | E     | 1   | WASHER                       |
| CA1-2318-000      | E     | 1   | SHAFT, CORRECTION LEVER      |
| CA1-2325-000      | D     | 1   | LEVER, COUPLING ADJ.         |
| CA1-2334-000      | E     | 1   | WASHER, SPRING               |
| CA1-2335-000      | D     | 1   | INSULATOR                    |
| CA1-2387-000      | D     | 1   | WASHER                       |
| CA1-2447-000      | D     | 1   | SCREW, MAX.APERTURE CORRECT. |
| CA1-5001-000      | E     | 2   | INSULATOR                    |
| CF1-0773-000      | E     | 1   | HOLDER, FOLLOWING NEEDLE     |
| CF1-0774-000      | E     | 1   | BRACKET, INTERMEDIATE        |
| CF1-0775-000      | E     | 1   | LEVER, INTERMEDIATE          |
| CF1-0782-000      | C     | 1   | WIPER                        |
| CF1-0784-000      | D     | 1   | GEAR, SECTOR                 |
| CF1-0788-000      | C     | 1   | WIPER                        |
| CF1-0803-000      | E     | 1   | LEVER, CORRECTION            |
| CG9-0171-000      | D     | 1   | AE UNIT                      |
| CG9-0172-000      | D     | 1   | MAX.APERTURE CORRECTION UNIT |
| CH1-0306-000      | C     | 1   | BOARD, PRINTED RESISTOR      |
| CH1-0307-000      | C     | 1   | BOARD, PRINTED RESISTOR      |
| CS1-0463-000(XXX) | E     | 1   | GEAR, AE COUPLING            |
| CS1-5485-000(XXX) | D     | 1   | SPRING, COIL                 |
| CS1-6403-000      | C     | 1   | SPRING                       |
| CS1-6409-000      | D     | 1   | SPRING                       |
| CS1-6412-000      | D     | 1   | SPRING                       |
| CS1-7285-000      | D     | 1   | SPRING, PLATE                |
| X71-9749-000      |       | 2   | RETAINER                     |
| X91-1233-160      |       | 1   | SCREW                        |
| X91-1435-690      |       | 1   | SCREW                        |
| X91-1436-070      |       | 1   | SCREW                        |
| X91-1436-150      |       | 1   | SCREW                        |
| X91-1436-450      |       | 1   | SCREW                        |
| X91-1736-330      |       | 1   | SCREW                        |
| X99-0479-000      |       | 1   | SCREW                        |
| X99-0480-000      |       | 2   | SCREW                        |
| XA1-1170-309      |       | 1   | SCREW                        |
| XA1-3170-309      |       | 2   | SCREW                        |
| XA1-3170-409      |       | 3   | SCREW                        |
| XD2-1100-102      |       | 1   | E RING                       |

CANON NEW F-1



CAI-2261-000 detail



| A             | SIZE  |
|---------------|-------|
| $\phi 2.6$ mm | (010) |
| $\phi 3.0$ mm | (020) |
| $\phi 3.4$ mm | (030) |

CSI-5486-000 detail

| STRENGTH | SIZE  |
|----------|-------|
| 950 g    | (010) |
| 870 g    | (020) |
| 720 g    | (030) |
| 670 g    | (040) |

CSI-5487-000 detail

| STRENGTH | SIZE  |
|----------|-------|
| 690 g    | (010) |
| 630 g    | (020) |
| 610 g    | (030) |

CSI-5494-000 detail


| STRENGTH | SIZE  |
|----------|-------|
| 150g     | (010) |
| 175g     | (020) |
| 200g     | (030) |

# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                  |
|-------------------|-------|-----|------------------------------|
| CA1-2261-000(XXX) | D     | 1   | STOPPER                      |
| CA1-2262-000      | E     | 1   | COLLAR                       |
| CA1-2272-000      | E     | 1   | LEVER, MIRROR RETURN         |
| CA1-2279-000      | D     | 1   | CONTACT, FINDER(RIGHT)       |
| CA1-2280-000      | D     | 1   | CONTACT, FINDER(LEFT)        |
| CA1-2281-000      | E     | 1   | HOLDER, SPRING               |
| CA1-2284-000      | C     | 1   | BUTTON, STOP DOWN MEASURING  |
| CA1-2285-000      | E     | 1   | SLIDE, DIAPHRAGM CLOSING     |
| CA1-2287-000      | D     | 2   | COLLAR                       |
| CA1-2288-000      | E     | 2   | SCREW                        |
| CA1-2297-000      | C     | 1   | CONTACT                      |
| CA1-2309-000      | E     | 1   | SCREW, SHAFT                 |
| CA1-2311-000      | E     | 1   | LATCH, MIRROR START          |
| CA1-2398-000      | E     | 1   | NUT                          |
| CA1-2426-000      | D     | 1   | INSULATOR                    |
| CA1-2482-000      | E     | 1   | SCREW                        |
| CF1-0770-000      | E     | 1   | BASE, STOP DOWN LOCK         |
| CF1-0772-000      | E     | 1   | SLIDE, A MODE(FOLLOW NEEDLE) |
| CF1-0778-000      | E     | 1   | LEVER, MIRROR CHARGE         |
| CF1-0779-000      | E     | 1   | LEVER, MIRROR DRIVE          |
| CF1-0780-000      | E     | 1   | LEVER, 1ST CURTAIN START     |
| CF1-0815-000      | E     | 1   | LEVER, 1ST CURTAIN RELEASE   |
| CG1-0140-001      | E     | 1   | PANEL, FRONT                 |
| CG1-0146-000      | D     | 1   | MODE ASS'Y, A                |
| CS1-1263-000      | E     | 2   | COLLAR                       |
| CS1-4125-000      | E     | 1   | SCREW                        |
| CS1-4126-000      | E     | 1   | SCREW                        |
| CS1-5484-000      | D     | 1   | SPRING, COIL                 |
| CS1-5486-000(XXX) | E     | 1   | SPRING, COIL                 |
| CS1-5487-000(XXX) | D     | 1   | SPRING, COIL                 |
| CS1-5490-000      | D     | 1   | SPRING, COIL                 |
| CS1-5494-000(XXX) | D     | 1   | SPRING, COIL                 |
| CS1-6401-000      | D     | 1   | SPRING                       |
| CS1-6402-000      | D     | 1   | SPRING                       |
| CS1-6405-000      | D     | 1   | SPRING                       |
| CS1-6408-000      | D     | 1   | SPRING                       |
| X91-1436-690      |       | 4   | SCREW                        |
| X96-1723-060      |       | 1   | SCREW                        |
| X96-1723-140      |       | 1   | SCREW                        |
| XA1-3170-259      |       | 2   | SCREW                        |
| XA1-3170-309      |       | 1   | SCREW                        |
| XA1-3170-407      |       | 2   | SCREW                        |
| XD1-1102-631      |       | 1   | WASHER                       |

## CANON NEW F-1



CFI-0706-000 detail ACF-800

| A       | SIZE  |
|---------|-------|
| 11.0 mm | (110) |
| 11.1 mm | (111) |
| 11.2 mm | (112) |
| 11.3 mm | (113) |
| 11.4 mm | (114) |
| 11.5 mm | (115) |
| 11.6 mm | (116) |

CAI-2012-000 detail

| A       | SIZE  |
|---------|-------|
| 0.15 mm | (015) |
| 0.18 mm | (018) |
| 0.23 mm | (023) |
| 0.28 mm | (028) |

CAI-2022-030 (New)

CY4-0056-000 (Old)

| A         | (New) | (Old)        |
|-----------|-------|--------------|
| φ 1.76 mm | (176) | CY4-0056-000 |
| φ 1.78 mm | (178) | CY4-0057-000 |

CAI-2439-000 detail

| A       | SIZE  |
|---------|-------|
| 0.03 mm | (003) |
| 0.05 mm | (005) |
| 0.10 mm | (010) |

# PARTS LIST


REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                |
|-------------------|-------|-----|----------------------------|
| CA1-2011-000      | D     | 1   | GEAR, COUNTER              |
| CA1-2012-000(XXX) | C     | 1   | RING, C                    |
| CA1-2017-000      | C     | 1   | RING, C                    |
| CA1-2020-000      | D     | 1   | SHAFT, SPROCKET            |
| CA1-2021-000      | E     | 1   | STUD                       |
| CA1-2022-030(XXX) | D     | 1   | SCREW, SPROCKET            |
| CA1-2024-000      | E     | 1   | CASE, CLICK                |
| CA1-2033-000      | D     | 1   | CAM, RELEASE               |
| CA1-2036-000      | E     | 1   | BASE, CONTACT              |
| CA1-2037-000      | D     | 1   | INSULATOR                  |
| CA1-2038-000      | C     | 1   | CONTACT, RELEASE           |
| CA1-2039-000(XXX) | D     | 1   | CONTACT, RELEASE-2         |
| CA1-2040-000      | D     | 1   | CONTACT, RELEASE-3         |
| CA1-2083-000      | C     | 1   | DIAL, FILM COUNTER         |
| CA1-2439-000(XXX) | D     | 1   | WASHER                     |
| CA1-2444-000      | C     | 1   | LEATHER                    |
| CA1-2478-000      | D     | 2   | SHIELD, LIGHT              |
| CA1-2480-000      | D     | 1   | INSULATOR                  |
| CF1-0706-000(XXX) | D     | 1   | LEVER, 2ND CURTAIN RELEASE |
| CF1-0709-000      | E     | 1   | LEVER, 2ND CURTAIN RELEASE |
| CF1-0804-000      | C     | 1   | PCB ASS'Y                  |
| CF1-0811-000      | D     | 1   | PLATE, CLICK               |
| CF1-0812-000      | D     | 1   | PLATE, CLICK               |
| CG1-0142-000      | D     | 1   | WINDING UNIT               |
| CS1-5472-000      | E     | 1   | SPRING, COIL               |
| CS1-6372-000      | D     | 1   | SPRING                     |
| CS1-6373-000      | E     | 1   | SPRING                     |
| CS1-6374-000      | D     | 1   | SPRING                     |
| CS1-6375-000      | D     | 1   | SPRING                     |
| CS1-6376-000      | D     | 1   | SPRING                     |
| CS1-6377-000      | E     | 1   | SPRING                     |
| CS1-7292-000      | E     | 1   | SPRING, PLATE              |
| CY4-0056-000      | D     | 1   | SCREW                      |
| CY4-0057-000      | D     | 1   | SCREW                      |
| X91-1425-540      |       | 4   | SCREW                      |
| X91-1435-900      |       | 2   | SCREW                      |
| X91-1436-440      |       | 2   | SCREW                      |
| X91-1725-260      |       | 2   | SCREW                      |
| X96-2021-870      |       | 1   | SCREW                      |
| XA1-1200-407      |       | 1   | SCREW                      |
| XA1-3170-407      |       | 1   | SCREW                      |
| XA1-7140-149      |       | 3   | SCREW                      |
| XA1-7140-257      |       | 1   | SCREW                      |
| XD1-1101-523      |       | 1   | WASHER                     |

## CANON NEW F-1

CAI-2028-000 detail

|  | A       | SIZE  |
|--|---------|-------|
|  | φ2.5 mm | (250) |
|  | φ2.8 mm | (280) |
|  | φ3.1 mm | (310) |



# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION              |
|-------------------|-------|-----|--------------------------|
| CA1-1918-000(220) | E     | 1   | NUT, ADJUSTING           |
| CA1-1918-000(225) | E     | 1   | NUT, ADJUSTING           |
| CA1-2026-000      | E     | 1   | LEVER, DIAPHRAGM RELEASE |
| CA1-2028-000(XXX) | E     | 1   | SCREW                    |
| CA1-2201-000      | C     | 1   | CONTACT, BATTERY(-)      |
| CA1-2202-000      | E     | 1   | SCREW                    |
| CA1-2203-000      | D     | 1   | CONTACT, EARTH           |
| CA1-2210-000      | E     | 1   | COLLAR, STOPPER          |
| CF1-0749-000      | D     | 1   | ARMATURE                 |
| CF1-0750-000      | E     | 1   | LEVER, ARMATURE RELEASE  |
| CF1-0751-000      | E     | 1   | LEVER, MAGNET RELEASE    |
| CF1-0753-000      | E     | 1   | BASE, CONTACT(-)         |
| CG1-0134-000      | D     | 1   | MAGNET-2 UNIT            |
| CG1-0135-000      | D     | 1   | CHAMBER UNIT, BATTERY    |
| CG1-0256-000      | E     | 1   | SW5 ASS'Y                |
| CS1-5480-000      | C     | 1   | CONTACT, SPRING          |
| CS1-5481-000      | C     | 1   | CONTACT, SPRING          |
| CS1-6390-000      | D     | 1   | SPRING                   |
| CS1-6391-000      | D     | 1   | SPRING                   |
| CS1-6392-000      | D     | 1   | SPRING                   |
| CS1-6393-000      | D     | 1   | SPRING                   |
| CS1-8304-000      | C     | 1   | SEAL, BATTERY            |
| X96-1723-030      |       | 1   | SCREW                    |
| X98-0104-830      |       | 1   | WASHER                   |
| X99-0559-000      |       | 2   | SCREW, SET               |
| XA1-1170-229      |       | 1   | SCREW                    |
| XA1-3140-257      |       | 2   | SCREW                    |
| XA1-3140-289      |       | 2   | SCREW                    |
| XA11170-169       |       | 2   | SCREW                    |
| XA3-3170-409      |       | 1   | SCREW                    |
| XA3-6170-409      |       | 1   | SCREW                    |
| XD2-1100-102      |       | 2   | SCREW                    |




# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                |
|-------------------|-------|-----|----------------------------|
| 13-9523-000       | E     | 1   | NUT                        |
| 13-9561-000       | E     | 1   | NUT                        |
| CA1-1918-000      | D     | 1   | NUT                        |
| CA1-1931-000      | E     | 1   | NUT, BRAKE                 |
| CA1-1943-000      | E     | 1   | COLLAR                     |
| CA1-1944-000      | D     | 3   | SCREW                      |
| CA1-1972-000      | E     | 1   | COLLAR                     |
| CA1-1979-000      | E     | 2   | WASHER                     |
| CA1-1980-000      | C     | 2   | LEATHER, 2ND CURTAIN BRAKE |
| CA1-1981-000      | D     | 1   | DISK, 2ND CURTAIN BRAKE    |
| CA1-1985-000      | E     | 1   | LEVER, SIGNAL              |
| CA1-1989-000      | E     | 1   | CAM, 2ND CURTAIN LATCH     |
| CA1-2007-000      | D     | 1   | CLAW, COUNTER FEEDING      |
| CA1-2035-000      | D     | 1   | SHAFT, SHUTTER RELEASE     |
| CA1-2476-000      | E     | 1   | WASHER                     |
| CB1-1590-000      |       | 1   | WASHER                     |
| CF1-0682-000      | E     | 1   | LEVER, MIRROR CHARGE       |
| CF1-0683-000      | E     | 1   | LEVER, SIGNAL              |
| CF1-0686-000      | E     | 1   | LEVER, SWITCH              |
| CF1-0688-000      | E     | 1   | BASE, BRAKE                |
| CF1-0689-000      | D     | 1   | BRAKE, 2ND CURTAIN         |
| CF1-0690-000      | C     | 1   | CURTAIN, 1ST               |
| CF1-0691-000      | C     | 1   | CURTAIN, 2ND               |
| CF1-0742-000      | E     | 1   | LEVER, 1ST CURTAIN RELEASE |
| CF1-0789-000      | D     | 1   | SHIELD, LIGHT              |
| CG1-0131-000      | D     | 1   | GEAR UNIT, MASTER          |
| CG1-0132-000      | D     | 1   | DRUM UNIT, SPRING          |
| CG1-0464-000(XXX) | D     | 1   | GEAR, AE COUPLER           |
| CS1-0465-000      | E     | 1   | IDLER                      |
| CS1-1228-000      | E     | 1   | BUSH                       |
| CS1-1229-000      | E     | 1   | BUSH                       |
| CS1-1230-000      | E     | 1   | BUSH                       |
| CS1-4110-000      | E     | 1   | SCREW                      |
| CS1-4112-000      | E     | 1   | STUD                       |
| CS1-4113-000      | E     | 1   | STUD                       |
| CS1-4114-000      | E     | 1   | SCREW                      |
| CS1-4115-000      | E     | 1   | STUD                       |
| CS1-4119-000      | E     | 1   | SPRING                     |
| CS1-5466-000(XXX) | E     | 1   | SPRING, COIL               |
| CS1-5468-000      | D     | 1   | SPRING, COIL               |
| CS1-6355-000      | E     | 1   | SPRING                     |
| CS1-6355-020      | E     | 1   | SPRING                     |
| CS1-6359-000      | D     | 1   | SPRING                     |
| CS1-6360-000      | E     | 1   | SPRING                     |
| CS1-6361-000      | E     | 1   | SPRING                     |
| CS1-6368-000      | E     | 1   | SPRING                     |
| CS1-6369-000      | E     | 1   | SPRING                     |
| CS1-6370-000      | E     | 1   | SPRING                     |
| CS1-6371-000      | E     | 1   | SPRING                     |
| CS1-6387-000      | E     | 1   | SPRING                     |
| X31-6222-590      | E     | 2   | SCREW                      |
| X91-1737-210      | E     | 1   | SCREW                      |
| X91-1737-340      | E     | 1   | SCREW                      |
| X98-0303-930      | E     | 1   | WASHER                     |
| X98-0304-060      | E     | 1   | WASHER                     |
| XA1-1170-189      | E     | 2   | SCREW                      |
| XA1-1170-229      | E     | 2   | SCREW                      |
| XA1-1170-359      | E     | 1   | SCREW                      |
| XA1-3170-259      | E     | 1   | SCREW                      |
| XD1-1102-630      | E     | 1   | WASHER                     |
| XD1-1102-631      | E     | 1   | WASHER                     |
| XD2-1100-102      | E     | 2   | RING, E                    |

## CANON NEW F-1



CAI-1967-000 detail


| A                                                                                   | SIZE          |
|-------------------------------------------------------------------------------------|---------------|
|  | 0.05 mm (005) |
|  | 0.10 mm (010) |
|  | 0.20 mm (020) |

# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION             |
|-------------------|-------|-----|-------------------------|
| 13-9889-000       | E     | 3   | ROLLER                  |
| 13-9991-000       | D     | 1   | CAM, CLUTCH             |
| 14-4498-000       | C     | 51  | BALL, STEEL             |
| CA1-1949-000      | D     | 1   | SPOOL                   |
| CA1-1950-000      | D     | 1   | RATCHET, MULTI-EXPOSURE |
| CA1-1959-000      | E     | 1   | BASE, CONTACT           |
| CA1-1960-000      | D     | 1   | CONTACT                 |
| CA1-1961-000      | E     | 1   | INSULATOR               |
| CA1-1963-000      | E     | 1   | PLATE, CLUTCH HOLD      |
| CA1-1964-000      | E     | 1   | SPACER, WINDING CAM     |
| CA1-1965-000      | D     | 1   | CAM, WIINDING           |
| CA1-1966-000      | D     | 1   | COUPLER, WINDING        |
| CA1-1967-000(XXX) | D     | 2   | WASHER                  |
| CA1-1969-000      | E     | 1   | SPACER                  |
| CA1-1970-000      | E     | 1   | CAM, LOWER REVERSE LOCK |
| CA1-1971-000      | E     | 1   | CAM, UPPER REVERSE LOCK |
| CA1-2044-000      | E     | 1   | SPACER                  |
| CA1-2045-000      | E     | 1   | LEVER, M.E. LATCHET     |
| CA1-2475-000      | D     | 1   | SHIELD, LIGHT           |
| CF1-0687-000      | D     | 1   | SHAFT/GEAR, WINDING     |
| CS1-0460-000      | E     | 1   | GEAR, SPOOL             |
| CS1-0462-000      | D     | 1   | GEAR, WINDING COUPLER   |
| CS1-1232-000      | E     | 1   | BUSHING                 |
| CS1-1233-000      | E     | 1   | HOLDER, WINDING GEAR    |
| CS1-4111-000      | E     | 1   | STUD                    |
| CS1-4116-000      | E     | 1   | SCREW                   |
| CS1-4128-000      | E     | 1   | STUD                    |
| CS1-5496-000      | B     | 3   | COIL, SPRING            |
| CS1-6357-000      | E     | 1   | SPRING                  |
| CS1-6358-000      | E     | 1   | SPRING                  |
| CS1-6378-000      | E     | 1   | SPRING                  |
| CY1-1210-000      | C     | 1   | SPOOL, ASS'Y            |
| X91-1436-330      |       | 1   | SCREW                   |
| X91-2035-910      |       | 1   | SCREW                   |
| X96-1723-020      |       | 2   | SCREW                   |
| X98-0403-970      |       | 1   | WASHER                  |
| XA1-1170-287      |       | 2   | SCREW                   |
| XA1-3170-229      |       | 3   | SCREW                   |
| XD1-1102-112      |       | 1   | WASHER                  |
| XD1-1104-131      |       | 1   | WASHER                  |
| XD1-1104-133      |       | 1   | WASHER                  |

## CANON NEW F-1




# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.    | CLASS | QTY | DESCRIPTION              |
|------------------|-------|-----|--------------------------|
| 97-5733-000(XXX) | E     | 1   | SPRING, COIL             |
| CA1-1991-000     | E     | 1   | CUSHION                  |
| CA1-1992-000     | E     | 1   | HOLDER, CUSHION          |
| CA1-1999-000     | E     | 1   | LEVER, MAGNET CHARGE     |
| CA1-2000-000     | E     | 1   | SCREW                    |
| CA1-2185-000     | C     | 1   | ARMATURE                 |
| CA1-2186-000     | C     | 1   | E RING                   |
| CA1-2484-000     | E     | 1   | COVER, DUST              |
| CF1-0692-000     | E     | 1   | LEVER, MIRROR RELEASE    |
| CF1-0693-000     | E     | 1   | LEVER, DIAPHRAGM RELEASE |
| CF1-0694-000     | E     | 1   | LEVER, MIRROR CHARGE     |
| CF1-0695-000     | E     | 1   | LEVER, CHARGE            |
| CF1-0696-000     | E     | 1   | LEVER, DIAPHRAGM RELEASE |
| CF1-0697-000     | D     | 1   | LEVER, DIAPHRAGM CHARGE  |
| CF1-0698-000     | D     | 1   | LEVER, WINDING STOPPER   |
| CF1-0699-000     | D     | 1   | LEVER, STOPPER CHARGE    |
| CF1-0700-000     | E     | 1   | LEVER, CHARGE            |
| CF1-0747-000     | E     | 1   | LEVER, ARMATURE          |
| CG1-0133-000     | D     | 1   | MAGNET-3 UNIT            |
| CS1-4120-000     | E     | 1   | SCREW                    |
| CS1-4121-000     | E     | 1   | SCREW, SHAFT             |
| CS1-5469-000     | D     | 1   | SPRING, COIL             |
| CS1-5470-000     | E     | 1   | SPRING, COIL             |
| CS1-6362-000     | E     | 1   | SPRING                   |
| CS1-6363-000     | E     | 1   | SPRING                   |
| CS1-6364-000     | E     | 1   | SPRING                   |
| CS1-6365-000     | E     | 1   | SPRING                   |
| CS1-6366-000     | E     | 1   | SPRING                   |
| CS1-6367-000     | E     | 1   | SPRING                   |
| CS1-6388-000     | D     | 1   | SPRING                   |
| CS1-6389-000     | D     | 1   | SPRING                   |
| X91-1736-320     |       | 1   | SCREW                    |
| X91-1737-350     |       | 1   | SCREW                    |
| X98-0104-910     |       | 1   | WASHER                   |
| X98-0205-030     |       | 1   | WASHER                   |
| X98-0304-450     |       | 1   | WASHER                   |
| XA1-1170-409     |       | 1   | SCREW                    |
| XA1-3170-189     |       | 1   | SCREW                    |
| XA1-3170-359     |       | 2   | SCREW                    |
| XA1-7170-189     |       | 1   | SCREW                    |
| XD1-1101-531     |       | 1   | WASHER                   |
| XD1-1101-820     |       | 1   | WASHER                   |
| XD1-1102-320     |       | 1   | WASHER                   |
| XD2-1100-102     |       | 1   | RING, E                  |
| XD2-1100-131     |       | 1   | RING, E                  |

## CANON NEW F-1



CAI-1958-000 detail

| A                                                                                     | SIZE          |
|---------------------------------------------------------------------------------------|---------------|
|  A | 1.40 mm (140) |
|                                                                                       | 1.70 mm (170) |
|                                                                                       | 1.85 mm (185) |
|                                                                                       | 2.00 mm (200) |

CAI-2390-000 detail

| A                                                                                     | SIZE         |
|---------------------------------------------------------------------------------------|--------------|
|  A | 0.1 mm (010) |
|                                                                                       | 0.2 mm (020) |

CAI-2396-000 detail

| A                                                                                     | SIZE          |
|---------------------------------------------------------------------------------------|---------------|
|  A | 0.15 mm (015) |
|                                                                                       | 0.18 mm (018) |
|                                                                                       | 0.20 mm (020) |
|                                                                                       | 0.25 mm (025) |

ACF-710

CSI-5466-000 detail


| A                                                                                       | SIZE          |
|-----------------------------------------------------------------------------------------|---------------|
|  A | 0.60 mm (060) |
|                                                                                         | 0.65 mm (065) |
|                                                                                         | 0.70 mm (070) |
|                                                                                         | 0.75 mm (075) |

# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION                  |
|-------------------|-------|-----|------------------------------|
| 13-9872-000       | B     | 2   | RING, NECK STRAP             |
| 14-4498-000       | C     | 39  | BALL, STEEL                  |
| CA1-1919-000      | E     | 1   | SHAFT, IDLER                 |
| CA1-1920-000      | E     | 1   | SHAFT, BRAKE                 |
| CA1-1924-000      | D     | 3   | SCREW                        |
| CA1-1928-000      | E     | 2   | WASHER                       |
| CA1-1929-000      | C     | 2   | LEATHER, 1ST CURTAIN BRAKE   |
| CA1-1930-000      | D     | 1   | DISK, 1ST CURTAIN BRAKE      |
| CA1-1931-000      | E     | 1   | NUT, BRAKE                   |
| CA1-1951-000      | E     | 1   | BASE, CONTACT                |
| CA1-1952-000      | D     | 1   | CONTACT, X                   |
| CA1-1953-000      | D     | 2   | INSULATOR                    |
| CA1-1954-000      | D     | 1   | CONTACT                      |
| CA1-1955-000      | D     | 1   | CONTACT                      |
| CA1-1958-000(XXX) | D     | 1   | STOPPER, X CONTACT           |
| CA1-2390-000(XXX) | DD    | 1   | WASHER                       |
| CA1-2396-000(XXX) | D     | 1   | WASHER                       |
| CA1-2483-000      | D     | 1   | INSULATOR                    |
| CF1-0678-000      | E     | 1   | BRAKE, 1ST CURTAIN           |
| CF1-0679-000      | E     | 1   | LEVER, 1ST CURTAIN BRAKE SET |
| CS1-0458-000      | D     | 1   | GEAR, SPROCKET               |
| CS1-0459-000      | E     | 1   | IDLER                        |
| CS1-4108-000      | E     | 1   | SCREW                        |
| CS1-5466-000(XXX) | D     | 1   | SPRING, COIL                 |
| CS1-6352-000      | E     | 1   | SPRING                       |
| CY1-1179-000      | C     | 2   | LUG, NECK STRAP              |
| X91-1714-340      |       | 3   | SCREW                        |
| X91-1736-950      |       | 2   | SCREW                        |
| X91-1737-370      |       | 1   | SCREW                        |
| X98-0403-960      |       | 1   | WASHER                       |
| XA1-1170-709      |       | 2   | SCREW                        |

## CANON NEW F-1



# PARTS LIST

REF.NO.C12-0751

| NEW PARTS NO.     | CLASS | QTY | DESCRIPTION               |
|-------------------|-------|-----|---------------------------|
| 13-8505-000       | A     | 2   | SHIELD, LIGHT             |
| 13-9880-000       | E     | 2   | PIN, STOPPER              |
| 14-4498-000       | C     | 24  | BALL, STEEL               |
| CA1-1912-000      | D     | 1   | CUSHION                   |
| CA1-1913-000      | D     | 1   | HOLDER, SHAFT             |
| CA1-1914-000      | D     | 1   | SHIELD, LIGHT             |
| CA1-1915-000      | E     | 1   | STUD                      |
| CA1-1916-000      | E     | 1   | SHAFT, RELEASE SPRING     |
| CA1-1917-000      | E     | 1   | SHAFT, GEAR               |
| CA1-1921-000      | D     | 1   | SPROCKET                  |
| CA1-1922-000      | E     | 1   | CLUTCH, SPROCKET          |
| CA1-1935-000      | E     | 1   | NUT                       |
| CA1-1947-000      | E     | 1   | LEVER, SWITCH(E)          |
| CA1-2133-000      | C     | 1   | STABILIZER, CARTRIDGE     |
| CA1-2386-000      | D     | 1   | GUIDE, FILM               |
| CA1-2391-000(XXX) | D     | 1   | WASHER                    |
| CF1-0677-000      | D     | 1   | GEAR, SPROCKET            |
| CF1-0680-000      | E     | 1   | RELEASE, MECHANICAL       |
| CF1-0681-000      | D     | 1   | SLIDE, MECHANICAL RELEASE |
| CF1-0684-000      | E     | 1   | LEVER, ACTIVATOR          |
| CF1-0711-000      | D     | 1   | CONTACT, DATA BACK        |
| CS1-0456-000      | D     | 1   | GEAR                      |
| CS1-1231-000      | E     | 1   | STUD,WINDING GEAR         |
| CS1-4106-000      | E     | 1   | STUD                      |
| CS1-4107-000      | E     | 1   | STUD                      |
| CS1-4109-000      | E     | 1   | STUD                      |
| CS1-5467-000      | D     | 1   | SPRING, COIL              |
| CS1-6351-000      | E     | 1   | SPRING                    |
| CS1-6354-000      | E     | 1   | SPRING                    |
| CS1-6356-000      | E     | 1   | SPRING                    |
| CY1-1079-000      | E     | 1   | BODY                      |
| X91-1436-730      |       | 2   | SCREW                     |
| X91-1726-330      |       | 2   | SCREW                     |
| X91-1737-360      |       | 1   | SCREW                     |
| X96-1723-230      |       | 2   | SCREW                     |
| X98-0205-020      |       | 1   | WASHER                    |
| XA1-3170-229      |       | 3   | SCREW                     |
| XA1-3170-259      |       | 3   | SCREW                     |
| XA1-3170-359      |       | 3   | SCREW                     |
| XD1-1101-831      |       | 1   | WASHER                    |

# ELECTRIC PARTS LIST

REF.NO.C12-0751

| NEW | SYMBOL | PARTS NO.    | CLASS | QTY | DESCRIPTION            | REMARK                       |
|-----|--------|--------------|-------|-----|------------------------|------------------------------|
|     |        | CY4-0055-000 | D     | 1   | RESISTOR, HIGH VOLTAGE | 50 OHM 1/8W      ACF-545     |
|     | IC1    | CH4-0055-000 | C     | 1   | IC                     | T2682A                       |
|     | R1     | VR9-1103-000 | E     | 1   | RESISTOR               | 33KOHM 1/8W                  |
|     | R1     | VR9-1109-000 | E     | 1   | RESISTOR               | 56KOHM 1/8W                  |
|     | R1     | VR9-1367-000 | E     | 1   | RESISTOR               | 24.9KOHM 1/8W                |
|     | R1     | VR9-1412-000 | E     | 1   | RESISTOR               | 91KOHM 1/8W                  |
|     | R1     | VR9-1753-000 | E     | 1   | RESISTOR               | 47KOHM 1/8W                  |
|     | R1     | VR9-1888-000 | E     | 1   | RESISTOR               | 27KOHM 1/8W                  |
|     | R1     | VR9-1889-000 | E     | 1   | RESISTOR               | 30KOHM 1/8W                  |
|     | R1     | VR9-1891-000 | E     | 1   | RESISTOR               | 36KOHM 1/8W                  |
|     | R1     | VR9-1892-000 | E     | 1   | RESISTOR               | 39KOHM 1/8W                  |
|     | R1     | VR9-1893-000 | E     | 1   | RESISTOR               | 43KOHM 1/8W                  |
|     | R1     | VR9-1897-000 | E     | 1   | RESISTOR               | 68KOHM 1/8W                  |
|     | R1     | VR9-1899-000 | E     | 1   | RESISTOR               | 82KOHM 1/8W                  |
|     | R1     | VR9-1970-000 | E     | 1   | RESISTOR               | 300KOHM 1/8W                 |
|     | R1     | VR9-2098-000 | E     | 1   | RESISTOR               | 130KOHM 1/8W                 |
|     | R1     | VR9-2099-000 | E     | 1   | RESISTOR               | 180KOHM 1/8W                 |
|     | R1     | VR9-3055-000 | E     | 1   | RESISTOR               | 23.7 KOHM 1/8W               |
|     | R2     | VR9-1103-000 | E     | 1   | RESISTOR               | 33KOHM 1/8W                  |
|     | R2     | VR9-1109-000 | E     | 1   | RESISTOR               | 56KOHM 1/8W                  |
|     | R2     | VR9-1367-000 | E     | 1   | RESISTOR               | 24.9KOHM 1/8W                |
|     | R2     | VR9-1412-000 | E     | 1   | RESISTOR               | 91KOHM 1/8W                  |
|     | R2     | VR9-1753-000 | E     | 1   | RESISTOR               | 47KOHM 1/8W                  |
|     | R2     | VR9-1888-000 | E     | 1   | RESISTOR               | 27KOHM 1/8W                  |
|     | R2     | VR9-1889-000 | E     | 1   | RESISTOR               | 30KOHM 1/8W                  |
|     | R2     | VR9-1891-000 | E     | 1   | RESISTOR               | 36KOHM 1/8W                  |
|     | R2     | VR9-1892-000 | E     | 1   | RESISTOR               | 39KOHM 1/8W                  |
|     | R2     | VR9-1893-000 | E     | 1   | RESISTOR               | 43KOHM 1/8W                  |
|     | R2     | VR9-1897-000 | E     | 1   | RESISTOR               | 68KOHM 1/8W                  |
|     | R2     | VR9-1899-000 | E     | 1   | RESISTOR               | 82KOHM 1/8W                  |
|     | R2     | VR9-1970-000 | E     | 1   | RESISTOR               | 300KOHM 1/8W                 |
|     | R2     | VR9-2098-000 | E     | 1   | RESISTOR               | 130KOHM 1/8W                 |
|     | R2     | VR9-2099-000 | E     | 1   | RESISTOR               | 180KOHM 1/8W                 |
|     | R2     | VR9-3055-000 | E     | 1   | RESISTOR               | 23.7KOHM 1/8W                |
|     | R6     | CH9-0059-000 | E     | 1   | RESISTOR               | 1.96KOHM                     |
|     | R6     | CH9-0060-000 | E     | 1   | RESISTOR               | 2.0KOHM                      |
|     | R6     | CH9-0061-000 | E     | 1   | RESISTOR               | 2.05KOHM                     |
|     | R1     | VR9-1421-000 | E     | 1   | RESISTOR               | 301KOHM 1/8W                 |
|     | RMTV   | VR5-0131-400 | E     | 1   | RESISTOR               | 140 OHM    1/8W      ACF-642 |
|     | RMTV   | VR5-0131-690 | E     | 1   | RESISTOR               | 169 OHM    1/8W      ACF-642 |

# ELECTRIC PARTS LIST

REF.NO.C12-0751

| NEW | SYMBOL | PARTS NO.    | CLASS | QTY | DESCRIPTION | REMARK                 |
|-----|--------|--------------|-------|-----|-------------|------------------------|
|     | RMTV   | VR5-0131-960 | E     | 1   | RESISTOR    | 196 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0132-260 | E     | 1   | RESISTOR    | 226 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0132-490 | E     | 1   | RESISTOR    | 249 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0132-740 | E     | 1   | RESISTOR    | 274 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0133-010 | E     | 1   | RESISTOR    | 301 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0133-320 | E     | 1   | RESISTOR    | 332 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0133-650 | E     | 1   | RESISTOR    | 365 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0133-830 | E     | 1   | RESISTOR    | 383 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0140-101 | E     | 1   | RESISTOR    | 100 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0140-121 | E     | 1   | RESISTOR    | 120 OHM 1/8W ACF-642   |
|     | RMTV   | VR5-0140-180 | E     | 1   | RESISTOR    | 180HM 1/8W ACF-642     |
|     | RMTV   | VR5-0140-470 | E     | 1   | RESISTOR    | 470HM 1/8W ACF-642     |
|     | RMTV   | VR5-0140-750 | E     | 1   | RESISTOR    | 750HM 1/8W ACF-642     |
|     | RAE    | VR5-0131-822 | E     | 1   | RESISTOR    | 18.2 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0132-002 | E     | 1   | RESISTOR    | 20.0 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0132-212 | E     | 1   | RESISTOR    | 22.1 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0132-432 | E     | 1   | RESISTOR    | 24.3 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0132-742 | E     | 1   | RESISTOR    | 27.4 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0133-012 | E     | 1   | RESISTOR    | 30.1 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0133-322 | E     | 1   | RESISTOR    | 33.2 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0133-652 | E     | 1   | RESISTOR    | 36.5 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0133-922 | E     | 1   | RESISTOR    | 39.2 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0134-322 | E     | 1   | RESISTOR    | 43.2 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0134-752 | E     | 1   | RESISTOR    | 47.5 KOHM 1/8W ACF-642 |
|     | RAE    | VR5-0135-112 | E     | 1   | RESISTOR    | 51.1 KOHM 1/8W ACF-642 |
|     |        | VR5-0140-103 | E     | 1   | RESISTOR    | 10 KHOM 1/8W AG1-036   |
|     | R42    | VR9-1103-000 | E     | 1   | RESISTOR    | 33 KHOM 1/8W           |
|     | R42    | VR9-1109-000 | E     | 1   | RESISTOR    | 56 KHOM 1/8W           |
|     | R42    | VR9-1306-000 | E     | 1   | RESISTOR    | 86.6 KHOM 1/8W         |
|     | R42    | VR9-1308-000 | E     | 1   | RESISTOR    | 95.3 KHOM 1/8W         |
|     | R42    | VR9-1309-000 | E     | 1   | RESISTOR    | 100 KHOM 1/8W          |
|     | R42    | VR9-1310-000 | E     | 1   | RESISTOR    | 105 KHOM 1/8W          |
|     | R42    | VR9-1311-000 | E     | 1   | RESISTOR    | 110 KHOM 1/8W          |
|     | R42    | VR9-1312-000 | E     | 1   | RESISTOR    | 115 KHOM 1/8W          |
|     | R42    | VR9-1313-000 | E     | 1   | RESISTOR    | 121 KHOM 1/8W          |
|     | R42    | VR9-1314-000 | E     | 1   | RESISTOR    | 127 KHOM 1/8W          |
|     | R42    | VR9-1315-000 | E     | 1   | RESISTOR    | 133 KHOM 1/8W          |
|     | R42    | VR9-1316-000 | E     | 1   | RESISTOR    | 140KHOM 1/8W           |
|     | R42    | VR9-1317-000 | E     | 1   | RESISTOR    | 147KHOM 1/8W           |
|     | R42    | VR9-1318-000 | E     | 1   | RESISTOR    | 154 KHOM 1/8W          |

# ELECTRIC PARTS LIST

REF.NO.C12-0751

| NEW | SYMBOL | PARTS NO.    | CLASS | QTY | DESCRIPTION          | REMARK       |
|-----|--------|--------------|-------|-----|----------------------|--------------|
|     | R42    | VR9-1597-000 | E     | 1   | RESISTOR             | 51 KHOM 1/8W |
|     | R42    | VR9-1753-000 | E     | 1   | RESISTOR             | 47 KHOM 1/8W |
|     | R42    | VR9-1885-000 | E     | 1   | RESISTOR             | 16 KHOM 1/8W |
|     | R42    | VR9-1887-000 | E     | 1   | RESISTOR             | 24 KHOM 1/8W |
|     | R42    | VR9-1892-000 | E     | 1   | RESISTOR             | 39 KHOM 1/8W |
|     | R42    | VR9-1896-000 | E     | 1   | RESISTOR             | 62 KHOM 1/8W |
|     | R42    | VR9-1897-000 | E     | 1   | RESISTOR             | 68 KHOM 1/8W |
|     | R42    | VR9-1898-000 | E     | 1   | RESISTOR             | 75 KHOM 1/8W |
|     | R42    | VR9-1899-000 | E     | 1   | RESISTOR             | 82 KHOM 1/8W |
|     | RTSC   | VR5-0133-922 | E     | 1   | RESISTOR             | 39 KHOM 1/8W |
|     |        | VR5-0134-322 | E     | 1   | RESISTOR             | 43 KHOM 1/8W |
|     |        | VR5-0134-752 | E     | 1   | RESISTOR             | 47 KHOM 1/8W |
|     |        | VR5-0135-112 | E     | 1   | RESISTOR             | 51 KHOM 1/8W |
|     |        | VR5-0135-622 | E     | 1   | RESISTOR             | 56 KHOM 1/8W |
|     | Tr2    | WA2-0229-000 | D     | 1   | TRANSISTOR           | 2SD813       |
|     | VR2    | VR9-1660-000 | E     | 1   | RESISTOR, VARIABLE   | 330OHM       |
|     |        | Y11-3701-000 |       |     | LEAD                 | WHITE        |
|     |        | Y11-3702-000 |       |     | LEAD                 | BLACK        |
|     |        | Y11-3707-000 |       |     | LEAD                 | YELLOW       |
|     |        | Y11-3901-000 |       |     | LEAD                 | WHITE        |
|     |        | Y11-3903-000 |       |     | LEAD                 | RED          |
|     |        | Y11-3906-000 |       |     | LEAD                 | ORANGE       |
|     |        | Y11-3909-000 |       |     | LEAD                 | GREEN        |
|     |        | Y11-4501-000 |       |     | LEAD                 | WHITE        |
|     |        | Y11-4502-000 |       |     | LEAD                 | BLACK        |
|     |        | Y11-4503-000 |       |     | LEAD                 | RED          |
|     |        | Y11-4506-000 |       |     | LEAD                 | ORANGE       |
|     |        | Y11-4507-000 |       |     | LEAD                 | YELLOW       |
|     |        | Y11-4509-000 |       |     | LEAD                 | GREEN        |
|     |        | Y11-4511-000 |       |     | LEAD                 | BLUE         |
|     |        | Y11-4512-000 |       |     | LEAD                 | PURPLE       |
|     |        | Y11-4514-000 |       |     | LEAD                 | GRAY         |
|     |        | Y11-7312-000 |       |     | HEAT SHRINKABLE TUBE |              |